PRODUCT INFORMATION PACKET

Model No: 365TSTFCD6002
Catalog No: GT1142A
General Purpose Motor, 75 HP, 3 Ph, 60 Hz, 575 V, 3600 RPM, 365TS Frame, TEFC



Regal and are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E




Nameplate Specifications


Output HP	75 Hp	Output KW	56.0 kW			
Frequency	60 Hz	Voltage	575 V			
Current	67.0 A	Speed	3570 rpm			
Service Factor	1.15	Phase	3			
Efficiency	94.5 %	Power Factor	89			
Duty	Continuous	Insulation Class	F			
Design Code	В	KVA Code	G Totally Enclosed Fan Cooled			
Frame	365TS	Enclosure				
Thermal Protection	No Protection	Ambient Temperature	40 °C			
Drive End Bearing Size	6313	Opp Drive End Bearing Size	6213			
UL	Listed	CSA	Υ			
CE	Υ	IP Code	55			
Hazardous Location	DIVISION 2 T2B	Number of Speeds	1			

Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter		
Poles	2	Rotation	Reversible		
Resistance Main	.077 Ohms	Mounting	Rigid Base		
Motor Orientation	Horizontal	Drive End Bearing	Ball		
Opp Drive End Bearing	Ball	Frame Material	Cast Iron		
Shaft Type	TS	Overall Length	32.17 in		
Frame Length	16.73 in	Shaft Diameter	1.875 in		
Shaft Extension	3.75 in	Assembly/Box Mounting	F1/F2 CAPABLE		
Inverter Load	CONSTANT 2:1/VARIABLE 10:1				
Outline Drawing	SS556998-200	Connection Drawing	EE7300		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/15/2022









P.O. BOX 8003 WAUSAU, WI 54401-8003 PH. 715-675-3311

					\		electi	ric		111. 715-075	3311		
											DATA VOLTS:	460	
					CEI	RTIFICA	TION DA	TA SHI	EET				
CUSTOM	ER:							CUSTO	OMER P.O. #:				
ORDER#	t:						R	EFERENC	E MODEL #:	365TSTFCD6	002		_
CONN. D	IAGRAM:	EE7300							CAT #:	GT	1142A		_
OUTLINE	:	SS556998	3					CUSTO	MER PART #:				
WINDING	:	HE	E32252005	NONE	4				MOUNTING:	F1/F2 CAPAE	BLE		_
SPEED:					/DIO 41		D DEDE6						
							R PERFO			TYPE			T
HP	KW	SYNC RPM		FL RPM		FF	FRAME		ENCLOSURE		KVA CC	DDE	DESIGN
75	75 56 3600		357	70 365TS		TEFC TFC G			В				
PH	HZ	VOLTS		AME	99	START TYPE		DUTY IN		INSL	S.F. AMB		ELEV.
3	60		75	67		LINE OR INVERTER		CONT		F	1.15	40	3300
			•								•		•
	F.L. EFF	94.1		3/4 LD EFF	94.1		1/2 LD EFF	93.0	GTD EFF		ELECT. TY		
	F.L. PF	89.0		3/4 LD PF	86.5		1/2 LD PF	80.0	93.0		SQ CAGE INV	RATED	
F.L. T	ORQUE	LR	AMPS @	460 V		L.R. TORG	UE		B.D. TORQ	UE	F.L. RISE	(°C)	1
110	LB-FT		434		204	LB-FT	185%	308	LB-FT	280%	70	1	1
@ 3 FT.		POWER		ROTOR WK ²		MAX. LOAD WK ²		SAFE STALL TIME		STARTS/HOUR			OR WGT
75	dBA	84	dBA	9.5	LB-FT ²	50	LB-FT ²	15	SEC.		2	1050	LB.
					*** SU	PPLEME	NTAL INFO	ORMATI	ON ***				
		ODE B	RACKET	MOUNT	MO	TOR	SEVERE	HAZ	ARDOUS	DRIP			
	CKET TYPE		/PE	TYPE		TATION	DUTY		CATION	COVER	SCREENS		AINT
STAN	NDARD	STAN	IDARD	RIGID	HORIZ	ONTAL	NO	DIVIS	ION 2 T2B	NO	NONE	BLUE (ENAMEL)
BEA	RINGS					l						T	
DE	ODE	GRE	EASE	SHAFT	TYPE	SPE	CIAL DE	SPECIAL ODE		SHAFT	MATERIAL	L FRAME MATERIAL	
BALL	BALL	DOI VE	REX EM	TS		N	ONE		NONE	1045 HOT B	OLLED (C-204)	CVS	T IRON
6313	6213	TOETI	ILX LIVI			1	ONE	NONE		1043 1101 1101110		OAO	1 111011
												SP	PACE
THERMOSTATS		PROTE	CTORS	WDG R	TD's)'s BRG RTD's		THERMISTORS		CONTROL		HEATERS	
N	ONE	N	ОТ	NON	ΙE	N	ONE	١	IONE	F	ALSE		NA
R1 (ol	hme/nh\	R2 (oh	nms/ph)	X1 (ohm	ne/nh)	¥2 (o	hms/ph)	Ym (ohms/ph)	VIRRAT	ION (in/sec)	FI	.OAT
R1 (ohms/ph) 0.076			045	0.41			.563	16.365		0.080		ODE	
		L										1	
*													
N											VARIABLE 10:1		
0								INV. HP SP	EED RANGE:	NONE			
T _													
E							ENCODER: NONE						
S *									NONE NONE			NONE	PPR
									BRAKE:	NONE			
PREPARED BY: FAREEDA DUDEKULA							NO	ONE	NON	E			
DATE: 5/3/2018					FT-LB: NA								
									VOLTAGE:		ONE		HZ:
EODM: 2	521 DEV /	2/27/06						111	NO LETTED	ME MUNT	CC DITIEMITAL	E CI ACC	1 DIV 21 II







EC Declaration of Conformity

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401 and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No: 365TSTFCD6002

(Model No. may contain prefix and/or suffix characters)

Catalog No : GT1142A

Rework No: N/A

Directives:

Low Voltage Directive 2014/35/EU

Harmonized Standards Used:

EN 60034-1: 2010 (IEC 60034-1: 2010)

Michael A Logsdon

EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

<u>Authorized Representative in the Community:</u>

J. cerse

Julian Clark

Marketing Engineer

Michael A. Logsdon Vice President, Technology

Created on 09/01/2022

C € 22