# PRODUCT INFORMATION PACKET

Model No: 056T11D15526 Catalog No: K007A

General Purpose Motor, 1 HP, 3 Ph, 60 Hz, 230/460 V, 1200 RPM, 56H Frame, DP



Regal and are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: 056T11D15526, Catalog No:K007A General Purpose Motor, 1 HP, 3 Ph, 60 Hz, 230/460 V, 1200 RPM, 56H Frame, DP


## Nameplate Specifications


Output HP	1 Hp	Output KW	0.75 kW	
Frequency	60 Hz	Voltage	230/460 V	
Current	4.0/2.0 A	Speed	1140 rpm	
Service Factor	1.15	Phase	3	
Efficiency	82.5 %	Power Factor	52.4	
Duty	Continuous	Insulation Class	В	
Design Code	В	KVA Code	J	
Frame	56H	Enclosure	Drip Proof	
Thermal Protection	No Protection	Ambient Temperature	40 °C	
Drive End Bearing Size	6203	Opp Drive End Bearing Size	6203	
UL	Recognized	CSA	Υ	
CE	Υ	IP Code	22	
Number of Speeds	1			

# **Technical Specifications**

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	6	Rotation	Reversible
Resistance Main	11.5 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Т	Overall Length	14.91 in
Frame Length	8.25 in	Shaft Diameter	0.625 in
Shaft Extension	1.88 in	Assembly/Box Mounting	F1 OUT ODE BRKT RADIAL
Outline Drawing	056T11D15526-S01	Connection Drawing	D0000561-001

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/15/2022





#### **CERTIFICATION DATA SHEET**

 Model#:
 56T11D15526 A
 WINDING#:
 \$\$0071711 NONE 3

 CONN. DIAGRAM:
 D0000561-001
 ASSEMBLY:
 F1 OUT ODE BRKT

RADIAL

**OUTLINE**: 056T11D15526-S01

#### **TYPICAL MOTOR PERFORMANCE DATA**

HP	KW	SY	NC. RPM	F.L. RPM	FRAME	ENCLOS	SURE KV	A CODE	DESIGN
1&3/4	.75&.	56	1200	1140&950	56H	DP		J	В
DU	U	VOLTE	EL AMDS	START TYPE	DUTY	INICI	e E	AMB°C	EL EVATION

	PH	Hz	VOLTS	FL AMPS	START TYPE	DUTY	INSL	S.F	<b>AMB°C</b>	ELEVATION
	3	60/50	230/460#190/	1.0/2.0&3.6/1.	ACROSS THE	CONTINUOU	B3	1.15/1.15	40	3300
L			380	8	LINE	S				

FULL LOAD EFF: 82.5&84	3/4 LOAD EFF: -	1/2 LOAD EFF: -	GTD. EFF	ELEC. TYPE	NO LOAD AMPS
FULL LOAD PF: 52.4&55	3/4 LOAD PF: -	1/2 LOAD PF: -	80	SQ CAGE IND RUN	/

F.L. TORQUE LOCKED ROTOR AMPS		L.R. TORQUE	B.D. TORQUE	F.L. RISE°C
54 LB-FT	19.6 / 9.8	170 LB-FT 0	223 LB-FT 0	0

SOUND PRESSURE @ 3 FT.	SOUND POWER	ROTOR WK^2	MAX. WK^2	SAFE STALL TIME	STARTS /HOUR	APPROX. MOTOR WGT
0 dBA	10 dBA	0 LB-FT^2	1.5 LB-FT^2	10 SEC.	2	0 LBS.

### \*\*\* SUPPLEMENTAL INFORMATION \*\*\*

DE BRACKET TYPE	ODE BRACKET TYPE	MOUNT TYPE	ORIENTATION	SEVERE DUTY	HAZARDOUS LOCATION	DRIP COVER	SCREENS	PAINT
STANDARD	STANDARD	RIGID	HORIZONTAL	FALSE	NONE	FALSE	NONE	GRAY (ENAMEL)

BEARINGS		GREASE	SHAFT TYPE	SPECIAL DE	SPECIAL ODE	SHAFT	FRAME
DE	OPE					MATERIAL	MATERIAL
BALL	BALL	POLYREX EM	Т	NONE	NONE	1144	ROLLED STEEL
6203	6203					STRESSPROOF	
0200	0200					(C-223)	

THERMO-PROTECTORS				THERMISTORS	CONTROL	SPACE /n HEATERS
THERMOSTATS	PROTECTORS	WDG RTDs	BRG RTDs			
NONE	NOT	NONE	NONE	NONE	FALSE	NONE VOLTS

If Inverter equals NONE, contact factory for further information

INVERTER TORQUE: NONE INV. HP SPEED RANGE: NONE

ENCODER: NONE
NONE NONE PPR

BRAKE: NONE NONE NONE P/N NONE NONE NONE

NONE FT-LB NONE V NONE Hz

\* N O T E S

DATE: 06/28/2017 02:29:23 AM FORM 3531 REV.3 02/07/99 \*\* Subject to change without notice.



# **EC Declaration of Conformity**

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401 and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No: 056T11D15526

(Model No. may contain prefix and/or suffix characters)

Catalog No: K007A

Rework No: N/A

### **Directives:**

Low Voltage Directive 2014/35/EU

## Harmonized Standards Used:

EN 60034-1: 2010 (IEC 60034-1: 2010)

Michael A Logsdon

EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

Michael A. Logsdon Vice President, Technology

Created on 09/01/2022

Authorized Representative in the Community:

J. cerse

Julian Clark Marketing Engineer