PRODUCT INFORMATION PACKET

Model No: 056T17F5336
Catalog No: K705
General Purpose Motor, 0.50 HP, 3 Ph, 60 Hz, 575 V, 1800 RPM, 56C Frame, TEFC



Regal and are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: 056T17F5336, Catalog No:K705 General Purpose Motor, 0.50 HP, 3 Ph, 60 Hz, 575 V, 1800 RPM, 56C Frame, TEFC


Nameplate Specifications

Output HP	0.50 Hp	Output KW	0.37 kW
Frequency	60 Hz	Voltage	575 V
Current	0.95 A	Speed	1725 rpm
Service Factor	1.15	Phase	3
Efficiency	72.1 %	Power Factor	53.3
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	М
Frame	56C	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Ambient Temperature	40 °C
Drive End Bearing Size	6203	Opp Drive End Bearing Size	6203
UL	Recognized	CSA	Υ
CE	Υ	IP Code	43
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Resistance Main	40 Ohms	Mounting	Bolt-on Base
Motor Orientation	Horizontal Or Up Or Down	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	NEMA 56	Overall Length	11.81 in
Frame Length	6.56 in	Shaft Diameter	0.625 in
Shaft Extension	2.06 in	Assembly/Box Mounting	F1 ONLY
Connection Drawing	A-EE7300	Outline Drawing	A-100141-656

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/15/2022





CERTIFICATION DATA SHEET

 Model#:
 56T17F5336 D
 WINDING#:
 ZT408 NONE 2

 CONN. DIAGRAM:
 A-EE7300
 ASSEMBLY:
 F1 ONLY

OUTLINE: A-100141-656

TYPICAL MOTOR PERFORMANCE DATA

HP	KW	! !	SYNC. RPM	F.L. RPM	FRAME	ENCLOS	SURE K	VA CODE	DESIGN
1/2	.37		1800	1725	56C	TEF	С	М	В
		,			,		,		
PH	Hz	VOLTS	FL AMP	START TYPE	DUTY	INSL	S.F	AMB°C	ELEVATION
3	60	575	.95	ACROSS THE	CONTINUOU	F3	1.15	40	3300

FULL LOAD EFF: 72.1	3/4 LOAD EFF: 68.4	1/2 LOAD EFF: 62.2	GTD. EFF	ELEC. TYPE	NO LOAD AMPS
FULL LOAD PF: 53.3	3/4 LOAD PF: 50.2	1/2 LOAD PF: 38.4	64	SQ CAGE IND RUN	.7

LINE

F.L. TORQUE	LOCKED ROTOR AMPS	L.R. TORQUE	B.D. TORQUE	F.L. RISE°C
1.5 LB-FT	5.6	6.2 LB-FT 413	7.2 LB-FT 480	45

SOUND PRESSURE @ 3 FT.	SOUND POWER	ROTOR WK^2	MAX. WK^2	SAFE STALL TIME	STARTS /HOUR	APPROX. MOTOR WGT
62 dBA	72 dBA	0.05 LB-FT^2	3 LB-FT^2	15 SEC.	2	25 LBS.

*** SUPPLEMENTAL INFORMATION ***

DE BRACKET TYPE	ODE BRACKET TYPE	MOUNT TYPE	ORIENTATION	SEVERE DUTY	HAZARDOUS LOCATION	DRIP COVER	SCREENS	PAINT
C-FACE	BRAKE	BOLT-ON	HORIZONTAL OR UP OR	FALSE	NONE	PROVISIONS ONLY	NONE	GRAY (POWDER)
			DOWN			ONLI		(I OWDER)

BEARINGS		GREASE	SHAFT TYPE	SPECIAL DE	SPECIAL ODE	SHAFT	FRAME
DE	OPE					MATERIAL	MATERIAL
BALL	BALL	POLYREX EM	STANDARD 56	NONE	NONE	1144	ROLLED STEEL
6203	6203					STRESSPROOF	
0200	0200					(C-223)	

	THERMO-PF	ROTECTORS	THERMISTORS	CONTROL	SPACE /n HEATERS	
THERMOSTATS	PROTECTORS	WDG RTDs	BRG RTDs			
NONE	NOT	NONE	NONE	NONE	FALSE	NONE VOLTS

If Inverter equals NONE, contact factory for further information

INVERTER TORQUE: NONE INV. HP SPEED RANGE: NONE

ENCODER: NONE
NONE NONE PPR


BRAKE: PROVISIONS FOR KIT NONE


NONE P/N NONE NONE

NONE FT-LB NONE V NONE Hz

* NOTES

DATE: 06/29/2017 12:45:37 AM FORM 3531 REV.3 02/07/99 ** Subject to change without notice.







EC Declaration of Conformity

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401

and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No: 056T17F5336

(Model No. may contain prefix and/or suffix characters)

Catalog No: K705 Rework No: N/A

Directives:

Low Voltage Directive 2014/35/EU

Harmonized Standards Used:

EN 60034-1: 2010 (IEC 60034-1: 2010)

Michael A Logsdon

EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

Authorized Representative in the Community:

J. cerse

Michael A. Logsdon Vice President, Technology

Created on 09/01/2022

Julian Clark Marketing Engineer

C€ 22